



PRO•SOL™ CORN-KICKER

Guaranteed Analysis

MAGNESIUM (Mg)	5.00%
SULFUR (S) (Combined).....	10.00%
BORON (B)	2.50%
MANGANESE (Mn)	6.00%
ZINC (Zn)	4.00%

Derived from Sodium Borate, Magnesium Sulfate, Manganese Sulfate, Zinc Sulfate, Citric Acid, Ammonium Sulfate, and Ethylenediaminetetraacetic Acid (EDTA) used as the chelating agent.

APPLICATION: Typical application rate is 2.5 pounds of CORN-KICKER per acre applied as a foliar spray during the early vegetative stage (V-3 to V-6) of the plant. Additional applications may be made if signs of Zinc deficiency are evident. Soil test results or tissue tests should be used as a base reference.

DIRECTIONS FOR USE: Add CORN-KICKER to spray water first and allow to completely dissolve. Then add compatibility agents and finally add any additional products, allowing each to mix totally in the solution before adding the next. CORN-KICKER has been used in conjunction with herbicide spray solutions with excellent results. Caution must be used when mixing to diminish any negative effects on the herbicide efficacy.

MIXING SEQUENCE MUST BE: CORN-KICKER first, Ammonium Sulfate or other compatibility agent, and lastly the herbicide. (Each product must be allowed to mix completely before the addition of the next.) Use a "jar test" to ensure compatibility.

CAUTION: THIS PRODUCT CONTAINS BORON, MAGNESIUM, MANGANESE, AND ZINC. SHOULD BE USED AS RECOMMENDED. MISUSE MAY PROVE HARMFUL. DO NOT USE WITH DINITRO COMPOUNDS, DORMANT OIL, BORDEAUX, SPRAY LIME, OR HIGHLY ALKALINE SPRAY MATERIALS. ALWAYS ADD CORN-KICKER TO SPRAY MIXTURE AS THE FIRST INGREDIENT AND DISSOLVE COMPLETELY.

NET WEIGHT
25 lbs./11.35 kg



WARNING:

MAY CAUSE EYE, SKIN, AND RESPIRATORY IRRITATION

HARMFUL IF SWALLOWED

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY MEASURES

- Avoid contact with skin. Wear long-sleeve shirt and disposable coveralls when contact potential is significant
- Wear goggles when dust is generated and the contact potential is significant
- Wear appropriate NIOSH respirator
- Wash thoroughly after handling

FIRST AID

- **IF IN EYES:** Flush with water for 15 minutes. Call a doctor for treatment advice if irritation persists.
- **IF ON SKIN:** Wash thoroughly with soap and water. Launder clothing before reuse.
- **IF INHALED:** Remove affected person from source of exposure. Call 911 if breathing is difficult.
- **IF INGESTED:** Do not induce vomiting. Get medical attention.
- **EMERGENCY:** INFOTRAC 800-535-5053 - INTERNATIONAL: 352-323-3500

Manufactured by: PRO•SOL, PO Box 1589, Ozark, AL 36361 Ph: 334-774-2515